


# Versatile Prefabricated Container Houses Affordable Modern Prefab **Homes**

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 7
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

china
INFINTE STARS
CE/ISO9001/ISO45001/ISO14001
н
7 Sets
dollar1300 /1set
One 40 'high container for Marine insurance, can hold 6 sets
5-8work days



## **Product Specification**

- Color:
- Size:
- Electrical System:
- Insulation:
- Installation:
- Transportation:
- Material:
- Door:
- Plumbing System:
- Usage:
- Name:
- MOQ:
- Highlight:

20ft/40ft/Customized Lighting/Socket/Switch Rock Wool/Glass Wool/PU

White/Blue/Grey/Customized

- Quick And Easy
- Flat Pack/Assembled

L/C, T/T

100set/day

- Steel Structure
- Steel Door/Wooden Door
- Toilet/Sink/Shower
- Temporary/Permanent
- Prefabricated Container Houses
- 7 PCS
  - Versatile Prefabricated Container Houses, ISO9001 Prefabricated Container Houses, Versatile Affordable Modern Prefab Homes



Our Product Introduction

Strong And Stable Resistance To Typhoons And Earthquakes Container Houses Quickly Began To Build

Introducing our innovative solution for rapid deployment of sturdy and resilient housing in the face of natural disasters like typhoons and earthquakes: the Container House System.

Our Container House System is engineered to withstand extreme weather conditions and seismic events while providing swift assembly and stability. Here's how it works:

Sturdy Construction: Each unit is crafted from robust materials, ensuring durability and structural integrity.

**Typhoon Resistance**: With reinforced walls and secure fixtures, our container houses are designed to resist strong winds and heavy rainfall, minimizing damage during typhoons.

Earthquake Resilience: The modular design and flexible foundation of our system absorb seismic forces, reducing the risk of collapse and ensuring safety in earthquake-prone areas.

Quick Deployment: Leveraging prefabricated components and efficient assembly methods, our container houses can be rapidly deployed, providing immediate shelter to those in need.

**Versatile Application**: Whether used for emergency relief efforts or long-term housing solutions, our Container House System offers versatility and adaptability to diverse environments and requirements.

**Community Integration**: Beyond mere shelter, our system fosters community resilience by facilitating the creation of cohesive and supportive living spaces, promoting recovery and rebuilding efforts.

	Length(mm)	6055(5840)
Product Specification:	Width(mm)	2990(2780)
2.99-meter	Height(mm)	2896(2550)
standard container	Roof	organized drainage
container	Number of floors	≤3
	Service life	8-10 years
	Container weight	≤1.96T
Design	Ground live load	1.8KN/
parameters	Roof live load	1.0KN/
	Wind load	0.8KN/
	Seismic degree	8
	corner column	Galvanized cold rolled section steel, t=2.5mm, H2450X4 pcs material Q235B
	roof main beam	Galvanized cold rolled section steel, t=2.5mm, L5630X2pcs /L2690X2pcs material Q235B
	roof sub-beam	Galvanized square steel, t=1.8mm40*60X6 square tubes, radian t=1.8mm 15*30X3pcs square tube material Q235B
Structural	floor main beam	Galvanized cold rolled section steel, t=2.5mm, L5630X2pcs /L2690X2pcs, material Q235B
	floor sub-beam	Galvanized square steel t=1.2mm, sub-beam X9pcs square tube material Q235B
	Angle piece hanging head	4.2mm steel galvanized stamping welding built-in bucket Angle piece X8
	Paint	Graphene Powder spraying (Electrostatic spraying)
	Roof panel	0.5mm thick color steel plate 360 degree bite, color white gray
Roof	Thermal insulation	100mm glass thermal insulation foam
	Ceiling plate	0.38 thick 831 ceiling
	downpipe	Four corners of downpipe 50PVC pipe X4pcs
Floor	Base	18mm thick fiber cement pressure plate, density $\geq 0.8$ g/cm <sup>3</sup>
	Thickness	50mm thick color steel rock wool sandwich board; The outer and inner plates are made o 0.35mm galvanized color steel plate
Wall	Heat preservation	75mm thick rock wool, bulk weight ≥90kg/m³, combustion performance is class A non- combustible

		Color	white gray PE coating
	Door	Spec(mm)	Width X height =840*2035 high-end door
		Material	Steel door with paint
	Window	Spec(mm)	Front window: width X height =1150*1100: width X height =1150*1100; (Standard) Hollow window anti-theft integrated window
		Frame	Plastic-steel
		Glass	Ordinary 4+9+4 hollow

# **Company introduction**

As a wholly-owned subsidiary of Wujiang Saima (established in 2005), Suzhou Stars Integrated Housing Co., Ltd. focuses on foreign trade. As one of the most professional prefabricated house manufacturers in south-east China, we provide customers with all kinds of integrated housing solutions.

Equipped with complete production lines, including sandwich panel production machines and steel structure production line, with 5000 square meter workshop and professional staff, we already built long-term business with domestic giants like CSCEC and CREC. Also, based on our export experience in the past years, we are furthering our steps to global customers with best product and service.

As a supplier to overseas customers all over the world, we are very familiar with the manufacturing standards of various countries, such as European standards, American standards, Australian standards, and so on. We have also participated in the construction of many large-scale projects, such as recent 2022 Qatar World Cup camping construction.

## **Company photo**

#### Workshop

#### Storage and shipping



Suzhou Stars Integrated Housing Co., Ltd.

+8615228076365

sales@szstarshouse.com

e prefabricated-containerhouses.com

NO.1 ZHUJIABANG VILLIAGE.ZHENZE TOWN,WUJANG,SUZHOU,CHINA