

Prebuilt Temp Rest Area Folding Container House Fast Assembly Foldable Prefab House

Basic Information

• Place of Origin: China

Brand Name: INFINITE STARS

• Certification: CE, ISO14001, ISO9001, ISO45001

Model Number: F07Minimum Order Quantity: 7 Sets

Price: USD 1200~1500/Set
Packaging Details: 4 units/20gp 8 units/40hq
Supply Ability: 2000 Sets PER Month



Product Specification

Floor Live Load: 2.0kN/
Roof Live Load: 1.0kN/
Wind Resistance: 0.60kN/

• Standard Size L*W*H: 5800*2480*2520mm Or Custom

Requirement

Wall: Rock Wool Sandwich PanelSteel Frame: Galvanized Light Steel Frame

Design Style: Contemporary

• Floor: 18mm Glass-magnesium Board

After Sales: Online Technical Support


Insulation: Rock WoolMOQ: 7 PCS

Highlight: Prebuilt Folding Container House,

Temp Rest Area Folding Container House, Fast Assembly Foldable Prefab House



More Images



Product Description

Prebuilt Temp Rest Area Folding Container House Fast Assembly Easy Relocation

The folding container house serves as an efficient and practical solution for temporary rest spaces. Its key features include portability, enabling easy transportation and setup in various locations. Quick deployment, achieved through its prefabricated design, makes it suitable for emergency situations. The durable construction ensures safety and resilience in harsh conditions, while space efficiency maximizes comfort in limited areas. A customizable interior provides a comfortable resting environment, complete with temperature control and ventilation. Additionally, eco-friendly materials and practices reduce environmental impact. In summary, the folding container house offers versatility, durability, and comfort, making it an ideal temporary rest space.

Standard Folda	able Container House	Datasheet			
	External size(L*W*H)	5800mm*2480mm*2520mm			
Product specifications	Inner size(L*W*H)	5588mm*2268mm*2160mm			
	Folding height	570mm	Unit weight	1 3 0 k g	
Design parameter	Thermal insulation	λ=0.048W/m·K	wind resistance	0.60kN/	
	Sound insulation	≥30dB	Fireproof performance	C la s s A	
	Waterproof performance	360 degrees bite connection, organized drainage,no leakage under precipitation 16mm/min	Seismic performance	8 d e g r e e	
	Floor live load	2.0kN/	Roof live load	1 . 0 k N	
Item	part	Spec(mm)	Unit	Q	
	Corner piece(I*w*h*t)	Top 220*140*190*3.75,material Q235	рс	4	
		Bottom 220*140*160*3.75,material Q235	рс	4	
	Column(l*w*h*t)	220*140*2500*2.2,material Q235	рс	4	

Frame	Bottom frame	160*2.45 main beam,material Q235	рс	4
		120*1.2 second beam,material Q235	рс	9
		160*2.2 main beam,material Q235	рс	4
	Top frame	C80*40*1.5 second beam,materialQ235	рс	6
		20*20*1.2 purlin,material Q235	рс	4
	Surface treatment	electrostatic spraying plastic powder baking paint	set	1
	Roof panel	color steel panel,360°bite connection t=0.36mm	set	1
	Ceiling decoration	170 type color steel integrated board t=0.3mm	рс	3
container body	Heat-insulating layer	Glass wool roll mat, thickness 50mm, capacity 28kg/m³, combustion performance of class A noncombustible.	set	1
	Floor structure board	18mm glass-magnesium board	рс	5
	Floor decoration	Manual pvc flooring leather, thickness 1.6mm	set	1
	Left and right walls (surrounded by galvanized groove edging)	950 type 50 series rock wool double white color steel composite panel with double-sided film, steel plate t=0.3mm, rock wool 60kg/m ³	pc	2
	Front walls (surrounded by galvanized groove edging)	950 type 50 series rock wool double white color steel composite panel with double-sided film, steel plate t=0.3mm, rock wool 60kg/m ³	pc	1
			<u> </u>	

	(surrounded by galvanized groove	950 type 50 series rock wool double white color steel composite panel with double-sided film, steel plate t=0.3mm, rock wool 60kg/m ³	рс	1
Door&Window	Door	Steel set door, size W925mm×H1970mm, steel plate t=0.4mm	рс	1
	Window	Upvc series plastic steel sliding window, size: W925mm×h1100mm; single-glazed, with anti-theft mesh, with screens	рс	2
Folding accessories		Lifting parts, folding parts	set	1
	Light	LED600*300 rectangular light	set	2
	Socket	10A five-hole socket	pc	4
	Socket	16A air conditioner socket	рс	1
Electrical&Wire (indoor)	Switch	single-button switch	рс	1
	Distribution box	which is equipped with a 2P32A leakage protection and two single 16A circuit breakers.	set	1
	CEE Industrial plug	220V,50Hz	рс	1
	Wire	Distribution Wire:3*6 square,AC socket:3*4 square,five-hole socket:3*2.5 square,Light:3*1.5 square	set	1


As a wholly-owned subsidiary of Wujiang Saima (established in 2005), Suzhou Stars Integrated Housing Co., Ltd. focuses on foreign trade. As one of the most professional prefabricated house manufacturers in south-east China, we provide customers with all kinds of integrated housing solutions.

Equipped with complete production lines, including sandwich panel production machines and steel structure production line, with 5000 square meter workshop and professional staff, we already built long-term business with domestic giants like CSCEC and CREC. Also, based on our export experience in the past years, we are furthering our steps to global customers with best product and service.

As a supplier to overseas customers all over the world, we are very familiar with the manufacturing standards of various countries, such as European standards, American standards, Australian standards, and so on. We have also participated in the construction of many large-scale projects, such as recent 2022 Qatar World Cup camping construction. Suzhou Stars Integrated Housing Co., Ltd. mainly has five types of products: folding container house, flat pack container house, detachable container house, modified shipping container (in development), and steel structure construction, which can be widely used in many fields, such as dormitory, camp, office, canteen, shop, toilet and shower, viewing pavilion, firefighting station, isolation ward, etc.







Suzhou Stars Integrated Housing Co., Ltd.

+8615228076365

sales@szstarshouse.com



prefabricated-containerhouses.com

NO.1 ZHUJIABANG VILLIAGE.ZHENZE TOWN,WUJANG,SUZHOU,CHINA