Anti Extrusion Flat Pack Mobile Home Customized Pre Built Container Homes

Basic Information

Place of Origin: China

Brand Name: INFINITE STARS

Certification: CE/ISO9001/ISO45001/ISO14001

Model Number: HMinimum Order Quantity: 7 Sets

• Packaging Details: One 40 'high container for Marine insurance,

can hold 6 sets

• Payment Terms: L/C, T/T

• Supply Ability: 20000 Set PER Month



Product Specification

Wall Panel Material: Rock Wool Sandwich Panel

Wind Resistence: 120KM/H

After Sales: Online Technical Support

Characteristic: Anti Extrusion
 Window: PVC Sliding Window

Keyword: Mobile Living Container HouseGutter: PVC Gutter With Down Pipe

• Frame Structure: Heavy Steel Q235 T4.0MM T3.0MM T1.5MM

Warranty: 15 YearsColour: Customized

Port: Shanghai Port;NingBo PortName: Flat Pack Container House

• MOQ: 7 PCS

Highlight: Anti Extrusion Flat Pack Mobile Home,

Flat Pack Mobile Home,

Flat Pack Mobile Home Customized,



Product Description

Construction Project Headquarters Packaging Container Houses Quickly Built

When it comes to establishing a temporary command center for engineering projects, our Rapid-Build Container Houses offer an unparalleled solution. These container houses are specifically designed for quick assembly, durability, and functionality, making them the ideal choice for project management and coordination on-site.

Quick Assembly

Our container houses are designed for swift deployment, ensuring that your engineering project command center is up and running in no time. With pre-fabricated modules and an intuitive assembly system, these structures can be rapidly erected, saving valuable time and resources.

Durability & Reliability

Constructed from robust materials, our container houses are built to withstand the rigors of construction sites. They are designed to be weather-resistant, ensuring a reliable and long-lasting workspace for your project team.

Functional Design

Our container houses are equipped with all the necessary amenities to support your engineering project needs. From offices and meeting rooms to storage areas and rest facilities, these structures are fully customizable to meet your specific requirements.

Sustainability

In line with our commitment to sustainability, our container houses are designed to be energy-efficient and environmentally friendly. By utilizing recycled materials and incorporating green building practices, we minimize the environmental impact of our products.


Versatility

Whether you're managing a large-scale infrastructure project or a smaller renovation, our container houses can be easily adapted to suit your needs. The modular design allows for flexible expansion or reduction, depending on the size of your team and the scope of your project.


In conclusion, our Rapid-Build Container Houses for Engineering Project Command Centers provide a fast, durable, and functional solution for temporary workspaces. With quick assembly, durability, functionality, sustainability, and versatility, these container houses are the perfect choice for managing your next engineering project. Contact us today to learn more about how we can support your project needs.

Standard Package Container House Datasheet				
Product Specification: 2.99-meter standard container	Length(mm)	6055(5840)		
	Width(mm)	2430(2270)		
	Height(mm)	2896(2550)		
	Roof	organized drainage		
	Number of floors	≤3		
Design parameters Structural	Service life	8-10 years		
	Container weight	≤1.96T		
	Ground live load	1.8KN/		
	Roof live load	1.0KN/		
	Wind load	0.8KN/		
	Seismic degree	8		
	corner column	Galvanized cold rolled section steel, t=2.5mm, H2450X4 pcs material Q235B		
	roof main beam	Galvanized cold rolled section steel, t=2.5mm, L5630X2pcs /L2130X2pcs material Q235B		
	roof sub-beam	Galvanized square steel, t=1.8mm40*60X6 square tubes, radian t=1.8mm 15*30X3pcs square tube material Q235B		
	floor main beam	Galvanized cold rolled section steel, t=2.5mm, L5630X2pcs /L2130X2pcs, material Q235B		
	floor sub-beam	Galvanized square steel t=1.2mm, sub-beam X9pcs square tube material Q235B		

		,
	Angle piece hanging head	4.2mm steel galvanized stamping welding built-in bucket Angle piece X8
	Paint	Graphene Powder spraying (Electrostatic spraying)
Roof	Roof panel	0.5mm thick color steel plate 360 degree bite, color white gray
	Thermal insulation	100mm glass thermal insulation foam
	Ceiling plate	0.38 thick 831 ceiling
	downpipe	Four corners of downpipe 50PVC pipe X4pcs
Floor	Base	18mm thick fiber cement pressure plate, density ≥0.8g/cm³
Wall	Thickness	50mm thick color steel rock wool sandwich board; The outer and inner plates are made of 0.35mm galvanized color steel plate
	Heat preservation	75mm thick rock wool, bulk weight ≥90kg/m³, combustion performance is class A non-combustible
	Color	white gray PE coating
Door	Spec(mm)	Width X height =840*2035 high-end door
	Material	Steel door with paint
Window	Spec(mm)	Front window: width X height =1150*1100: width X height =1150*1100; (Standard) Hollow window anti-theft integrated window
	Frame	Plastic-steel
	Glass	single
	Glass	single











Suzhou Stars Integrated Housing Co., Ltd.





sales@szstarshouse.com prefabricated-containerhouses.com

NO.1 ZHUJIABANG VILLIAGE.ZHENZE TOWN,WUJANG,SUZHOU,CHINA