




Lightweight Temporary Container Homes Custom Container House Anti Extrusion

Our Product Introduction

for more products please visit us on prefabricated-containerhouses.com

Basic Information

- Place of Origin: China
- Brand Name: INFINITE STARS
- Certification: CE/ISO9001/ISO45001/ISO14001
- Model Number: H
- Minimum Order Quantity: 7 Sets
- Packaging Details: One 40'high container for Marine insurance, can hold 6 sets
- Payment Terms: L/C, T/T
- Supply Ability: 20000 Set PER Month



Product Specification

- Wall Panel Material: Rock Wool Sandwich Panel
- Wind Resistance: 120KM/H
- After Sales: Online Technical Support
- Characteristic: Anti Extrusion
- Window: PVC Sliding Window
- Keyword: Mobile Living Container House
- Gutter: PVC Gutter With Down Pipe
- Warranty: 15 Years
- Colour: Customized
- Port: Shanghai Port; NingBo Port
- Name: Flat Pack Container House
- MOQ: 7 PCS
- Highlight: **Lightweight Temporary Container Homes, ISO14001 Custom Container House, Custom Container House Anti Extrusion**



Product Description

Temporary Shelter Packing Container Houses Can Be Moved And Installed Easily

When the need for a quick and efficient temporary shelter arises, our packaged container houses offer the perfect solution. These modular structures are designed for easy installation, portability, and durability, making them ideal for various emergency and disaster relief scenarios.

Portability

One of the key features of our container houses is their portability. Built on a standardized container chassis, these structures can be easily transported using standard shipping methods. Whether it's by road, rail, or sea, our container houses can be rapidly deployed to any location, ensuring that a shelter is available where and when it's needed.

Easy Installation

The modular design of our container houses enables quick and efficient installation. Pre-fabricated components are assembled on-site, requiring minimal labor and tools. This allows for rapid deployment, reducing the time it takes to establish a temporary shelter and providing relief to those in need.

Durability

Despite their lightweight and portable nature, our container houses are built to last. Made from durable materials, these structures are designed to withstand harsh weather conditions and the rigors of emergency situations. They provide a safe and secure shelter for individuals and families during times of crisis.


Versatility

Our container houses are highly versatile and can be customized to meet specific needs. They can be configured as temporary housing, medical facilities, command centers, or any other type of emergency shelter required. The modular design allows for easy expansion or reduction, ensuring that the shelter can be adapted to meet the changing needs of the situation.

In conclusion, our portable and easy-to-install packaged container houses provide a quick and efficient solution for temporary shelters. Their portability, easy installation, durability, and versatility make them the perfect choice for emergency and disaster relief scenarios. Whether it's a natural disaster, a humanitarian crisis, or any other type of emergency, our container houses can help provide the shelter and support needed during these difficult times.

Standard Package Container House Datasheet		
Product Specification: 2.99-meter standard container	Length(mm)	6055(5840)
	Width(mm)	2430(2270)
	Height(mm)	2896(2550)
	Roof	organized drainage
	Number of floors	≤3
Design parameters	Service life	8-10 years
	Container weight	≤1.96T
	Ground live load	1.8KN/
	Roof live load	1.0KN/
	Wind load	0.8KN/
	Seismic degree	8
Structural	corner column	Galvanized cold rolled section steel, t=2.5mm, H2450X4 pcs material Q235B
	roof main beam	Galvanized cold rolled section steel, t=2.5mm, L5630X2pcs /L2130X2pcs material Q235B
	roof sub-beam	Galvanized square steel, t=1.8mm40*60X6 square tubes, radian t=1.8mm 15*30X3pcs square tube material Q235B
	floor main beam	Galvanized cold rolled section steel, t=2.5mm, L5630X2pcs /L2130X2pcs, material Q235B
	floor sub-beam	Galvanized square steel t=1.2mm, sub-beam X9pcs square tube material Q235B
	Angle piece hanging head	4.2mm steel galvanized stamping welding built-in bucket Angle piece X8

	Paint	Graphene Powder spraying (Electrostatic spraying)
Roof	Roof panel	0.5mm thick color steel plate 360 degree bite, color white gray
	Thermal insulation	100mm glass thermal insulation foam
	Ceiling plate	0.38 thick 831 ceiling
	downpipe	Four corners of downpipe 50PVC pipe X4pcs
Floor	Base	18mm thick fiber cement pressure plate, density $\geq 0.8\text{g/cm}^3$
Wall	Thickness	50mm thick color steel rock wool sandwich board; The outer and inner plates are made of 0.35mm galvanized color steel plate
	Heat preservation	75mm thick rock wool, bulk weight $\geq 90\text{kg/m}^3$, combustion performance is class A non-combustible
	Color	white gray PE coating
Door	Spec(mm)	Width X height =840*2035 high-end door
	Material	Steel door with paint
Window	Spec(mm)	Front window: width X height =1150*1100: width X height =1150*1100; (Standard) Hollow window anti-theft integrated window
	Frame	Plastic-steel
	Glass	single









Suzhou Stars Integrated Housing Co., Ltd.



+8615228076365



sales@szstarhouse.com



prefabricated-containerhouses.com

NO.1 ZHUJIABANG VILLIAGE.ZHENZE TOWN,WUJANG,SUZHOU,CHINA